



ALL INDIA DISTRIBUTORS

AQUASSTAR

NO:5, WEST MADA STREET, KOLATHUR, CHENNAI-600099.

多功能潜水泵

MULTI-FUNCTION SUBMERSIBLE PUMP

FOR DESKTOP FOUNTAINS,

AIR COOLERS, AQUARIUMS. BEST QUALITY AND LONG LIFE.



超静音



性能好



超得住



■ HJ-541



■ HJ-741



■ HJ-941



■ HJ-1141

型号 (Model)	额定电压 (Voltage)	额定频率 (Frequency)	额定功率 (Power)	最大扬程 (H-Max)	最大流量 (Output)	重量 (Weight)	外形尺寸 (Dimensions)
HJ-541	110V/220V/240V	50Hz/60Hz	5W	0.8m	400L/h	0.2kg	60x56x58mm
HJ-741	110V/220V/240V	50Hz/60Hz	8W	1.0m	600L/h	0.35kg	76x66x68mm
HJ-941	110V/220V/240V	50Hz/60Hz	16W	1.3m	800L/h	0.45kg	82x73x75mm
HJ-1141	110V/220V/240V	50Hz/60Hz	22W	1.6m	1000L/h	0.55kg	92x82x85mm
HJ-1541	110V/220V/240V	50Hz/60Hz	28W	2.0m	1400L/h	0.75kg	102x98x100mm
HJ-1841	110V/220V/240V	50Hz/60Hz	40W	2.5m	1800L/h	1.0kg	100x106x108mm



■ HJ-1841

多功能潜水过滤泵

MULTI-FUNCTION SUBMERSIBLE FILTRATION PUMP



■ HJ-542



■ HJ-742



■ HJ-942



■ HJ-1142



■ HJ-1542

型号 (Model)	额定电压 (Voltage)	额定频率 (Frequency)	额定功率 (Power)	最大扬程 (H-Max)	最大流量 (Output)	重量 (Weight)	外形尺寸 (Dimensions)
HJ-542	110V/220V/240V	50Hz/60Hz	5W	0.8m	400L/h	0.2kg	80x56x58mm
HJ-742	110V/220V/240V	50Hz/60Hz	8W	1.0m	600L/h	0.35kg	98x66x68mm
HJ-942	110V/220V/240V	50Hz/60Hz	16W	1.3m	800L/h	0.45kg	106x73x75mm
HJ-1142	110V/220V/240V	50Hz/60Hz	22W	1.6m	1000L/h	0.55kg	123x82x85mm
HJ-1542	110V/220V/240V	50Hz/60Hz	28W	2.0m	1400L/h	0.75kg	138x98x100mm
HJ-1842	110V/220V/240V	50Hz/60Hz	40W	2.5m	1800L/h	1.0kg	155x106x108mm



■ HJ-1842

多功能潜水泵

MULTI-FUNCTION SUBMERSIBLE PUMP

**FOR FOUNTAINS, WATER CIRCULATIONS,
SKIMMERS, AIR COOLERS, AQUARIUMS.
BEST QUALITY AND LONG LIFE.**

FEATURES

- It uses high-strength wear-resistant shaft core, has highly efficient energy-saving, and long service life.
- It has good waterproof, high dielectric strength, it is safe and reliable.
- It designed with centrifugal impeller, has high flow and high pressure.
- It has various functions as pumping, filter and oxygen.
- Apply to aquariums, rockery pond water circulation device matching.


■ JP-052

■ JP-053

■ JP-054

■ JP-055

■ JP-056

■ JP-057

■ JP-058

■ JP-059

型号 (Model)	额定电压 (Voltage)	额定频率 (Frequency)	额定功率 (Power)	最大扬程 (H-Max)	最大流量 (Output)	重量 (Weight)	外形尺寸 (Dimensions)
JP-052	110V/220V/240V	50Hz/60Hz	6W	0.75m	450L/h	0.3kg	77x62x58mm
JP-053	110V/220V/240V	50Hz/60Hz	10W	1.2m	700L/h	0.4kg	81x70x64mm
JP-054	110V/220V/240V	50Hz/60Hz	14W	1.6m	900L/h	0.5kg	87x72x70mm
JP-055	110V/220V/240V	50Hz/60Hz	20W	2.0m	1200L/h	0.6kg	110x80x84mm
JP-056	110V/220V/240V	50Hz/60Hz	40W	2.4m	2700L/h	1.25kg	126x101x102mm
JP-057	220V/240V	50Hz	50W	2.7m	3500L/h	1.4kg	130x110x105mm
JP-058	220V/240V	50Hz	80W	3.5m	5000L/h	1.90kg	168x124x142mm
JP-059	220V/240V	50Hz	100W	4.0m	5800L/h	3.3kg	180x140x140mm

多功能潜水泵

MULTI-FUNCTION SUBMERSIBLE PUMP

**FOR FOUNTAINS, WATER CIRCULATIONS,
SKIMMERS, AIR COOLERS, AQUARIUMS.
BEST QUALITY AND LONG LIFE.**

FEATURES:

- It uses high-strength wear-resistant shaft core, has highly efficient energy-saving, and long service life.
- It has good waterproof, high dielectric strength; it is safe and reliable.
- It has various functions as pumping, filter and oxygen.
- Apply to aquariums, rocky pond water circulation device matching.


JP-062

JP-063

JP-064

JP-065

JP-066

JP-067

JP-068

JP-069

型号 (Model)	额定电压 (Voltage)	额定频率 (Frequency)	额定功率 (Power)	最大扬程 (H-Max)	最大流量 (Output)	重量 (Weight)	外形尺寸 (Dimensions)
JP-062	110V/220V/240V	50Hz/60Hz	8W	1.0m	450L/h	0.3kg	80x50x65mm
JP-063	110V/220V/240V	50Hz/60Hz	10W	1.2m	600L/h	0.4kg	85x56x71mm
JP-064	110V/220V/240V	50Hz/60Hz	17W	1.6m	800L/h	0.45kg	88x59x74mm
JP-065	110V/220V/240V	50Hz/60Hz	22W	2.0m	1200L/h	0.6kg	100x64x83mm
JP-066	110V/220V/240V	50Hz/60Hz	45W	2.7m	1600L/h	1.0kg	110x72x96mm
JP-067	220V/240V	50Hz/60Hz	55W	3.0m	2300L/h	1.4kg	140x80x115mm
JP-068	220V/240V	50Hz/60Hz	75W	3.4m	3100L/h	2.0kg	158x96x125mm
JP-069	220V/240V	50Hz/60Hz	95W	3.8m	3800L/h	2.9kg	168x108x135mm



ALL INDIA DISTRIBUTORS

AQUASSTAR

NO:5, WEST MADA STREET, KOLATHUR, CHENNAI-600099.

多功能潜水泵

MULTI-FUNCTION SUBMERSIBLE PUMP



**FOR FOUNTAINS, WATER CIRCULATIONS,
SKIMMERS, AIR COOLERS, AQUARIUMS.
BEST QUALITY AND LONG LIFE.**

FEATURES

- It uses high-strength wear-resistant shaft core, has highly efficient energy-saving, and long service life;
- It has good waterproof, high dielectric strength; it is safe and reliable;
- You can use it as pumping and fountain;
- Apply to aquariums, ponds, with water recycling equipment matching.

■ **AQB-2000**■ **AQB-2200**■ **AQB-2500**■ **AQB-3000**■ **AQB-3500**■ **AQB-4500**■ **AQB-5000**■ **AQB-5500**

型号 (Model)	额定电压 (Voltage)	额定频率 (Frequency)	额定功率 (Power)	最大扬程 (H-Max)	最大流量 (Output)	重量 (Weight)	外形尺寸LxWxH (Dimensions)
AQB-2000	110V/220V/240V	50Hz/60Hz	24W	1.8m	1400L/h	0.8kg	165x125x100mm
AQB-2200	110V/220V/240V	50Hz/60Hz	40W	2.3m	1900L/h	1.2kg	135x105x115mm
AQB-2500	110V/220V/240V	50Hz/60Hz	55W	2.5m	2000L/h	1.2kg	153x105x135mm
AQB-3000	110V/220V/240V	50Hz/60Hz	60W	3.0m	2500L/h	1.6kg	153x105x135mm
AQB-3500	110V/220V/240V	50Hz/60Hz	85W	3.5m	3000L/h	1.25kg	153x105x135mm
AQB-4500	110V/220V/240V	50Hz/60Hz	100W	4.0m	4500L/h	2.7kg	175x112x133mm
AQB-5000	110V/220V/240V	50Hz/60Hz	150W	5.0m	5500L/h	2.8kg	175x112x133mm
AQB-5500	110V/220V/240V	50Hz/60Hz	200W	5.5m	6800L/h	4.0kg	200x140x160mm

多功能潜水泵

MULTI-FUNCTION SUBMERSIBLE PUMP



**FOR FOUNTAINS, WATER CIRCULATIONS,
SKIMMERS, AIR COOLERS, AQUARIUMS.
BEST QUALITY AND LONG LIFE.**



■ HQC-4500

~ ■ HQC-5000

■ HQC-2200

~ ■ HQC-3500

FEATURES

- It uses high-strength wear-resistant shaft core, has highly efficient energy-saving, and long service life.
- It has good waterproof, high dielectric strength, it is safe and reliable.
- You can use it as pumping and fountain.
- Apply to aquariums, ponds, with water recycling equipment matching.





超静音



性能好



绝缘佳

性能曲线表 FUNCTION CURVES


型号 (Model)	额定电压 (Voltage)	额定频率 (Frequency)	额定功率 (Power)	最大扬程 (H-Max)	最大流量 (Output)	重量 (Weight)	外形尺寸LxWxH (Dimensions)
HQC-2200	110V/220V/240V	50Hz/60Hz	35W	2.0m	2000L/h	1.5kg	208x110x135mm
HQC-2500	110V/220V/240V	50Hz/60Hz	40W	2.3m	2300L/h	1.5kg	208x110x135mm
HQC-3000	110V/220V/240V	50Hz/60Hz	45W	2.6m	2600L/h	1.5kg	208x110x135mm
HQC-3500	110V/220V/240V	50Hz/60Hz	60W	3.5m	3000L/h	1.5kg	208x110x135mm
HQC-4500	110V/220V/240V	50Hz/60Hz	100W	4.0m	4500L/h	2.5kg	227x140x165mm
HQC-5000	110V/220V/240V	50Hz/60Hz	150W	5.0m	5000L/h	2.5kg	227x140x165mm