



ALL INDIA DISTRIBUTORS  
**AQUASSTAR**  
 NO:5, WEST MADA STREET, KOLATHUR, CHENNAI-600099.

# 旋涡式充气增氧机

## WHIRL CHARGING AERATOR



**HG-120**




超静音



性能好



风力强劲



## PRESSURE AIR PUMP FOR AQUACULTURE & INDUSTRIES HIGH QUALITY & DURABLE

### FEATURES

- Centrifugal vanes make high pressure, great outflow and low noise.
- High quality engine ensures safe and steady effect.
- Non-oil lubrication and pure compressed air.
- Phosphorize disposition, regular coloring and adhesive strength.
- Wide range of power, long life of this machine.

### APPLICATION

- To be used in paper cutters, filter cigarette shapers, pulverizing driers, net printers, photo plate makers, liquid-canning machines, electric welding equipment, film machinery, plate makers, liquid-canning machines, electric welding equipment, film machinery, paper transporting, clothes dry-cleaning, rinsing, air cleaning, pneumatic conveying, material conveying, collection and so on.

### NOTE

- The products must be put at dry and ventilated places above water level.

型号 (Model)	电源 (Voltage)	功率 (Power)	最大风压 (Pressure)	真空度 (Vacuum)	最大风量 (Output)	正常使用压力 (Pressure)	重量 (Weight)	外形尺寸 (Dimensions)
HG-090	220V/50Hz	90W	7.5kPa	-5kPa	12m³/h	< 6kPa	4.7kg	176x206x215mm
HG-120	220V/50Hz	120W	7.5kPa	-5kPa	12m³/h	< 6kPa	4.7kg	176x206x215mm
HG-180	220V/50Hz	180W	9kPa	-6.5kPa	18m³/h	< 7kPa	5.8kg	197x226x233mm
HG-200	220V/50Hz	200W	9kPa	-6.5kPa	19m³/h	< 7kPa	6.5kg	227x226x228mm
HG-250	220V/50Hz	250W	10.78kPa	-9kPa	26.5m³/h	< 9kPa	9kg	245x238x241mm
HG-370	220V/50Hz	370W	11.76kPa	-9kPa	54m³/h	< 10kPa	12kg	379x250x250mm
HG-750	220V/50Hz	750W	14.7kPa	-11kPa	75m³/h	< 12kPa	14kg	294x286x305mm
HG-1100	220V/50Hz	1100W	17.6kPa	-16kPa	180m³/h	< 14kPa	22kg	330x326x355mm
HG-750	380V/50Hz	750W	14kPa	-11kPa	72m³/h	< 12kPa	13kg	294x286x305mm
HG-1100	380V/50Hz	1000W	17.6kPa	-16kPa	180m³/h	< 14kPa	20kg	330x326x355mm
HG-750B	/	3HP(外配)	14.7kPa	/	72m³/h	/	10kg	255x286x305mm
HG-1100B	/	3-6HP(外配)	17.6kPa	/	180m³/h	/	20kg	330x326x355mm
HG-250	380V/50Hz	250W	10.78kPa	-9kPa	26.5m³/h	< 9kPa	9kg	245x238x241mm
HG-370	380V/50Hz	370W	11.76kPa	-9kPa	54m³/h	< 10kPa	12kg	379x250x250mm



■ HG-090



■ HG-180



■ HG-200



■ HG-250



■ HG-370



■ HG-370(380V)



■ HG-750



■ HG-750(380V)



■ HG-1100



■ HG-1100(380V)



■ HG-750B



■ HG-1100B





ALL INDIA DISTRIBUTORS

**AQUASSTAR**

NO:5, WEST MADA STREET, KOLATHUR, CHENNAI-600099.

# 旋涡式充气增氧机

## WHIRL CHARGING AERATOR

**HG-1500**

超静音



性能好




风力强劲

**HG-2200****HG-3800**

性能曲线Function Curves 仅作参考For Your Reference

P(kPa)

**HG-5500****HG-1500B**

型号 (Model)	电源 (Voltage)	功率 (Power)	最大风压 (Pressure)	真空度 (Vacuum)	最大风量 (Output)	正常使用压力 (Pressure)	重量 (Weight)	外形尺寸 (Dimensions)
HG-1500	380V/50Hz	1500W	22kPa	-18kPa	200m³/h	< 13kPa	32kg	345x365x390mm
HG-2200	380V/50Hz	2200W	24.5kPa	-22kPa	210m³/h	< 20kPa	45kg	422x388x424mm
HG-3800	380V/50Hz	3000W	30kPa	-22kPa	300m³/h	< 21kPa	64.5kg	430x424x480mm
HG-5500	380V/50Hz	5500W	45kPa	-28kPa	450m³/h	< 25kPa	72kg	492x458x500mm
HG-7500	380V/50Hz	7500W	55kPa	-35kPa	470m³/h	< 30kPa	75kg	492x458x500mm
HG-1500B	/	4HP(外配)	19kPa	/	200m³/h	/	25kg	355x365x390mm
HG-2200B	/	4-8HP(外配)	24.5kPa	/	210m³/h	/	35kg	422x388x424mm
HG-3800B	/	6-10HP(外配)	31kPa	/	300m³/h	/	45kg	430x424x480mm

# 旋涡式充气增氧机

## WHIRL CHARGING AERATOR



**YG-370**



超静音



性能好



风力强劲



**YG-120**

### 产品用途

• 适用于切纸机、卷烟滤嘴成型机、电镀槽液搅拌、雾化干燥机、水处理曝气、丝网印刷机、照相制版机、注塑机自动上料烘干机、液体灌装机、电焊设备、电影机械、纸张运送、干洗衣服、清洗、空气除尘、干瓶、气体传送、送料、收集等方面。

### APPLICATION


• To be used in paper cutters, filter cigarette shapers, pulverizing driers, net printers, photo plate makers, liquid-canning machines, electric welding equipment, film machinery, plate makers, liquicanning machines, electric welding equipment, film machinery, paper transporting, clothes dry-cleaning, rinsing, air cleaning, pneumatic conveying, material conveying, collection and so on.

### 性能曲线 Function Curves 仅作参考 For Your Reference

[吸入]

P (kPa)

[吐出]



型号 (Model)	电源 (Voltage)	功率 (Power)	最大风压 (Pressure)	真空度 (Vacuum)	最大风量 (Output)	正常使用压力 (Pressure)	重量 (Weight)	外形尺寸 (Dimensions)
YG-120	220V/380V/50Hz	120W	7.5kPa	-5kPa	21m³/h	< 6kPa	6.0kg	209x200x220mm
YG-180	220V/380V/50Hz	180W	9kPa	-6.5kPa	26m³/h	< 7kPa	6.8kg	212x219x239mm
YG-250	220V/380V/50Hz	250W	12kPa	-10kPa	35m³/h	< 8.5kPa	8.5kg	232x228x247mm
YG-370	220V/380V/50Hz	370W	15kPa	-11kPa	60m³/h	< 10kPa	10kg	256x243x247mm