

# BOYU®

## EQUIPMENTS OF GARDENING

自然生活·自然享受——博宇营造 Natural Life, Natural Enjoyment——Created by BOYU

### 污泥吸取器 Pond Cleaner



**特点:**

能清除池塘底部淤泥、粪便等杂质，保持水质，操作简单、使用方便、吸尘效率高、寿命长。

**FEATURE:**

Efficiently clean the sludge, fish feces and other impurities in the pond. Novel appearance, simple operation, easy to use, good suction effect and long life.


CE



### 污泥收集袋 Dirt Collector



黑色 black 绿色 green



WNQ-1



WNQ-1D

583Lx424Wx437Hmm

型号MODEL	电压VOLT	频率FREQ	功率POWER	流量GMAX	抽程HMAX	外形尺寸SIZE
WNQ-1	AC230/115V	50/60Hz	135W	8500L/h	3.7m	232x128x1521mm

## 杂物收集器 Pond Skimmer





### 特点:

自动收集池塘漂浮水面的树叶等杂物, 使用方便, 效率高。

### FEATURE:

Automatically collect and filter out any solid impurities such as leaves floating on the water surface, easy to use and effective.



SCL-2500



SCL-3500

型号 MODEL	电压 VOLT	频率 FREQ	功率 POWER	流量 QMAX	外观尺寸 SIZE
SCL-2500	AC230/115V	50/60Hz	43W	3000L/h	∅354x258Hmm
SCL-3500	AC230/115V	50/60Hz	70W	4200L/h	∅407x298Hmm

## 园艺生化过滤器 Gardening Pressure Filter

适用于园艺池塘、景观用水的过滤净化等。  
Suitable for gardening ponds and commercial fish farms  
filtering and purification.



## 园艺生化过滤器 Gardening Pressure Filter

适用于庭院池塘养殖鱼类的过滤净化器。

Suitable for gardening ponds and commercial fish farms filtering and purification.



### 特点:

免拆设计, 手压挤压清洗机构, 微生住隔中的污物挤压脱落, 反冲水流刷污物清除, 维护更简单;  
全密封设计, 可以放置在水面以下的位置;  
内置紫外线灯, 能有效杀灭水中的藻类、病毒及有害菌;  
内置多种生化过滤材料, 有效降解水中的硝酸盐、磷酸盐, 分解水中多余养分, 保证水体清澈。

### FEATURE:

Auto-clean design - hand squeeze cleaning structure  
Queue out the dirt from the sponges by squeezing and back flush to clean-out the dirt. Easy maintain.  
Fully sealed design it's allowed to place the product lower than water level.  
Build-in UV light can kill algae, virus and harmful bacterium in the water.  
Nitrate, phosphate and any unnecessary nutrient in the water may be degraded by multiple bio filter materials included.

CE 专利产品, 仿冒必究!  
PATENTED



出水管口应高于水管之上  
THE WATER OUTLET SHOULD BE POSITIONED ABOVE THE WATER LEVEL.



出水管口禁止放入水中  
DO NOT PUT THE WATER OUTLET INTO WATER.



EFU-10000A



EFU-15000A

型号MODEL	电压VOLT	频率FREQ	UV灯功率UV LIGHT	适用水量 "GALLONS" L	外观尺寸SIZE
EFU-10000A	AC230/115V	50/60Hz	18W	6000-10000L	549x410x527mm
EFU-15000A	AC230/115V	50/60Hz	24W	8000-15000L	549x410x631mm