

## 紫外线杀菌灯

UV-C CLARIFIERS



CUV-318

CUV-324/336

CUV-515



CUV-528



CUV-540



## 产品特点

- 内衬不锈钢板反射板，杀菌效果提高30%，大幅延长灯壳使用寿命。
- 灯壳耐高压设计，最大可承受10米水压，使用范围更广泛。
- 进水螺旋导向设计，使杀菌效果更充分。
- 灯头与杀菌室分离设计，更换灯管更安全方便。
- 6系列均内置UV灯管，并装2组永磁体，使流经的水受磁化，除藻效果更好，使水体更有益于鱼儿的健康生长。

## FEATURES

- With Stainless steel reflector inside, improve sterilizing effect by 30%, prolong the service life.
- Lamp shell with high pressure resistant, the maximum can reach 1bar. So the range of the application can be much wider.
- Inlet with spiral guide design which can better sterilization.
- The lamp head and sterilization are designed separately, much is safely for replacement of UV-C lamp.
- T5 UV-C lamp, with two sets magnets installed which can magnetize the water flow over, better to remove the algae and better for your fishes.

型号/Model	CUV-318	CUV-324	CUV-336	CUV-515	CUV-528	CUV-540
紫外线灯管功率/UV-CW	18	24	36	15	28	40
灯管寿命/UV-C%:8000hours	85	85	85	85	85	85
适用水量/Capacity/L	25000	45000	55000	25000	45000	60000
最大压力/Max Pressure/bar	1.0	1.0	1.0	1.0	1.0	1.0
最大流量/Through Flow(L/h)	3000	5000	7000	3000	5000	7000
接口尺寸/Inlet/Outlet Adapter	1"-1 1/4"-1 1/2"-2"	1"-1 1/4"-1 1/2"-2"	1"-1 1/4"-1 1/2"-2"	1"-1 1/4"-1 1/2"-2"	1"-1 1/4"-1 1/2"-2"	1"-1 1/4"-1 1/2"-2"
电缆长度/Cable Length	5m	5m	5m	5m	5m	5m
长度/Length(mm)	355	545	545	445	692	990

# 紫外线杀菌灯

## UV-C CLARIFIERS

NEW



CUV-618/624



CUV-636



CUV-655



CUV-672



CUV-6110

专利号：ZL201320058816.0

### 产品特点

- 内衬不锈钢反光板，杀菌效果提高30%，大幅延长灯具使用寿命。
- 灯具耐高温设计，最大可承受10米水压，使用范围更广泛。
- 内置2组永磁体，使流经的水受磁化，除藻效果更好，使水体更利于鱼儿的健康生长。
- 进水螺旋导向设计，使杀菌效果更充分。
- 灯头与杀菌室分离设计，更换灯管更安全方便。
- H灯管。



外观精致

性能好



密封佳



杀菌强

### FEATURES

- With Stainless steel reflector inside, improve sterilizing effect by 30%, prolong the service life.
- Lamp shell with high pressure resistant, the maximum can reach 1.0 bar. So the range of the application can be much wider.
- With two sets magnets installed which can magnetize the water flow over. Better to remove the algae and better for your fishes.
- Inlet with spiral guide design which can better sterilization.
- The lamp head and sterilization are designed separately, much is safely for replacement of UV-C lamp.
- H shaped UV-C lamp.



型号/Model	CUV-618	CUV-624	CUV-636	CUV-655	CUV-672	CUV-6110
紫外线灯功率(UV-CW)	18	24	36	55	2x36	2x55
灯管寿命(UV-C)8000hours	85	85	85	85	85	85
适用水量/Capacity(L)	25000	40000	55000	65000	90000	120000
最大压力/Max Pressure(bar)	1.0	1.0	1.0	1.0	1.0	1.0
最大流量/Through Flow(L/h)	3000	5000	7000	8000	8000	8000
接口尺寸/Inlet/Outlet Adapter	1"-1 1/4"-1 1/2"-2"	1"-1 1/4"-1 1/2"-2"	1"-1 1/4"-1 1/2"-2"	1"-1 1/4"-1 1/2"-2"	1"-1 1/4"-1 1/2"-2"	1"-1 1/4"-1 1/2"-2"
电缆长度/Cable Length	5m	5m	5m	5m	2x5m	2x5m
长度/Length(mm)	512	512	550	690	1030	1310

# 紫外线杀菌灯

UV-C CLARIFIERS



型号/Model	CUV-107	CUV-109A	CUV-111	CUV-111A	CUV-118	CUV-136	CUV-155	CUV-172
功耗/Power Consumption(W)	11	12	15	15	22	40	55	80
紫外线灯管功率/UV-C(W)	7	9	11	11	18	36	55	2x36
灯管寿命/UV-C%(8000hours)	80	80	80	80	85	85	85	85
适用水量/Capacity(L)	6000	8000	10000	10000	20000	35000	50000	60000
最大压力/Max Pressure(bar)	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
最大流量/Through Flow(L/h)	1200	1500	1700	1700	2500	4500	5000	6000
接口尺寸/Inlets/outlet Adapter	$\frac{1}{2}$ "- $\frac{3}{4}$ "	$\frac{3}{4}$ "-1"	$\frac{1}{2}$ "- $\frac{3}{4}$ "	$\frac{3}{4}$ "-1"	$\frac{1}{2}$ "- $\frac{3}{4}$ "	$\frac{3}{4}$ "-1"	$\frac{1}{2}$ "- $\frac{3}{4}$ "	$\frac{1}{2}$ "- $\frac{3}{4}$ "
电线长度/Cable Length	1m/2m	1m/2m	1m/4m	1m/2m	1m/4m	1m/4m	5m	2x1m/4m
长度/Length(mm)	236	270	314	340	314	490	672	980

# 紫外线杀菌灯

UV-C CLARIFIERS

专利号: ZL200820083306.8



CUV-207



CUV-209



CUV-209A



CUV-211



CUV-211A



CUV-218/224



CUV-236



CUV-272



型号/Model	CUV-207	CUV-209	CUV-209A	CUV-211	CUV-211A	CUV-218	CUV-224	CUV-236	CUV-272
功耗/Power Consumption(W)	11	12	12	15	15	22	26	40	80
紫外线灯管功率/UV-C(W)	7	9	9	11	11	18	24	36	2x36
灯管寿命/UV-C(h)/8000hours	80	80	80	80	80	85	85	85	85
适用水量/Capacity(L)	6000	8000	8000	12000	12000	20000	35000	45000	60000
最大压力/Max Pressure(bar)	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
最大流量/Through Flow(L/h)	1200	1500	1500	1700	1700	2500	4500	6000	6000
接口尺寸/Inlet/Outlet Adapter	$\frac{1}{2}$ "- $\frac{3}{4}$ "	$\frac{1}{2}$ "- $1\frac{1}{2}$ "	$\frac{1}{4}$ "- $1\frac{1}{2}$ "	$\frac{1}{4}$ "- $1\frac{1}{2}$ "	$\frac{1}{2}$ "- $1\frac{1}{2}$ "	$\frac{1}{4}$ "- $1\frac{1}{2}$ "	$\frac{1}{4}$ "- $1\frac{1}{2}$ "	$\frac{1}{2}$ "- $1\frac{1}{2}$ "	$\frac{1}{4}$ "- $1\frac{1}{2}$ "
电缆长度/Cable Length	3m	5m	3m	5m	3m	5m	5m	5m	2x5m
长度/Length(mm)	242	276	290	323	360	460	460	518	980